

10/561,571RCE

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 AUG 15 CAOLD to be discontinued on December 31, 2008  
NEWS 3 OCT 07 EPFULL enhanced with full implementation of EPC2000  
NEWS 4 OCT 07 Multiple databases enhanced for more flexible patent  
number searching  
NEWS 5 OCT 22 Current-awareness alert (SDI) setup and editing  
enhanced  
NEWS 6 OCT 22 WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT  
Applications  
NEWS 7 OCT 24 CHEMLIST enhanced with intermediate list of  
pre-registered REACH substances  
NEWS 8 NOV 21 CAS patent coverage to include exemplified prophetic  
substances identified in English-, French-, German-,  
and Japanese-language basic patents from 2004-present  
NEWS 9 NOV 26 MARPAT enhanced with FSORT command  
NEWS 10 NOV 26 MEDLINE year-end processing temporarily halts  
availability of new fully-indexed citations  
NEWS 11 NOV 26 CHEMSAFE now available on STN Easy  
NEWS 12 NOV 26 Two new SET commands increase convenience of STN  
searching  
NEWS 13 DEC 01 ChemPort single article sales feature unavailable  
NEWS 14 DEC 12 GBFULL now offers single source for full-text  
coverage of complete UK patent families  
NEWS 15 DEC 17 Fifty-one pharmaceutical ingredients added to PS  
  
NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,  
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items  
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 20:38:04 ON 01 JAN 2009

10/561,571RCE

=> FILE REG

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'REGISTRY' ENTERED AT 20:38:25 ON 01 JAN 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 31 DEC 2008 HIGHEST RN 1092443-03-2

DICTIONARY FILE UPDATES: 31 DEC 2008 HIGHEST RN 1092443-03-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10561571RCE.str

10/561,571RCE



```
chain nodes :
10 11 12 13 19
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
7-10 8-19 10-11 11-12 11-13
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
exact/norm bonds :
5-7 6-9 7-8 7-10 8-9 8-19 11-12 11-13
exact bonds :
10-11
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :
```

G1:C,O,N

G2:C,O,S

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS  
11:CLASS 12:CLASS 13:CLASS 19:CLASS


10/561,571RCE

L1        STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1                STR



G1 C,O,N

G2 C,O,S

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 20:38:55 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED -        5437 TO ITERATE

36.8% PROCESSED        2000 ITERATIONS

50 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:    ONLINE    \*\*COMPLETE\*\*

BATCH    \*\*COMPLETE\*\*

PROJECTED ITERATIONS:        104319 TO    113161

PROJECTED ANSWERS:            21536 TO        25656

L2                50 SEA SSS SAM L1


=> d scan l2

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[{(4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulfinyl]-,  
1-[[2-(methylthio)acetyl]oxy]-2-oxo-2-(phenylamino)ethyl ester

MF C29 H30 N4 O8 S2




HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-acetamide, N-(1-cyanocyclohexyl)-2-(trifluoromethyl)-

MF C17 H17 F3 N4 O




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
1-(2,2-dimethyl-1-oxopropoxy)-2-oxo-2-phenoxyethyl ester

MF C31 H33 N3 O9 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN Ethanaminium, N,N,N-triethyl-2-(2-ethylidenehydrazinyl)-1-[[[5-methoxy-2-  
[[[4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazol-1-  
yl]carbonyl]oxyl-2-oxo-, chloride (1:1)

MF C28 H39 N6 O6 S . Cl




● Cl<sup>-</sup>



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetamide, N-[(4-fluorophenyl)methyl]-2-  
[(methylthio)methyl]-  
MF C18 H18 F N3 O S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,  
1-(benzoyloxy)-2-(hydroxyamino)-2-oxoethyl ester  
MF C26 H21 F3 N4 O8 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetamide, 2-[(2-chlorophenyl)methyl]-5,6-dimethyl-N-[2-(4-morpholinyl)ethyl]- $\alpha$ -propyl-  
MF C27 H35 Cl N4 O2





\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulfinyl]-,  
1-[(2-methoxybenzoyl)oxy]-2-(methylphenylamino)-2-oxoethyl ester

MF C35 H34 N4 O9 S



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetamide, 2-[(methylsulfonyl)methyl]-N-[2-[(2,2,2-  
trifluoroethyl)thio]phenyl]-  
MF C19 H18 F3 N3 O3 S2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,  
(acetyloxy)carboxymethyl ester


MF C21 H18 F3 N3 O8 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN INDEX NAME NOT YET ASSIGNED  
MF C30 H36 F3 N3 O9 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*






10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
2-(2,2-dimethylhydrazinyl)-2-oxo-1-[(2-pyridinylcarbonyl)oxy]ethyl ester  
MF C28 H30 N6 O8 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-acetamide, 2-[(4-chlorophenoxy)methyl]-N-(3-cyano-5,6-

MF C24 H19 Cl N4 O2 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
2-oxo-2-(2-propen-1-yloxy)-1-[(4-pyridinylcarbonyl)oxy]ethyl ester


MF C29 H28 N4 O9 S



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN INDEX NAME NOT YET ASSIGNED  
MF C24 H22 N4 O3

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
1-(benzoylthio)-2-oxo-2-propoxyethyl ester

MF C30 H31 N3 O8 S2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
2-(butylthio)-1-[(2-furanylcarbonyl)oxy]-2-oxoethyl ester



MF C29 H31 N3 O9 S2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetamide, 2-[(2,4-dichlorophenyl)methyl]- $\alpha$ -ethyl-  
N-(2-pyridinylmethyl)-  
MF C24 H22 Cl2 N4 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*






10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-acetamide, N-[2-[(2-chlorophenyl)amino]-2-oxoethyl]-2-  
[(difluoromethyl)thio]-N-methyl-

MF C19 H17 Cl F2 N4 O2 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulfanyl]-,  
1-(acetylthio)-2-ethoxy-2-oxoethyl ester

MF C24 H27 N3 O8 S2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methylsulfinyl]-,  
1-[(2-furanylcarbonyl)oxy]-2-hydrazinyl-2-oxoethyl ester

MF C24 H20 F3 N5 O8 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methylsulfinyl]-,  
2-hydrazinyl-2-oxo-1-(3,3,3-trifluoro-1-oxopropoxy)ethyl ester


MF C22 H19 F6 N5 O7 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE



L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetamide, 2-[(4-fluorophenyl)methyl]-5,6-dimethyl-  
α-phenyl-N-(2-pyridinylmethyl)-  
MF C30 H27 F N4 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN INDEX NAME NOT YET ASSIGNED  
MF C30 H31 N3 O10 S



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetic acid,  $\alpha$ -(benzoyloxy)-5-methoxy-2-[[4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulfinyl]-  
MF C26 H25 N3 O7 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,  
1-(benzoylthio)-2-oxo-2-propoxyethyl ester


MF C29 H26 F3 N3 O7 S2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
1-(benzoyloxy)-2-(butylthio)-2-oxoethyl ester  
MF C31 H33 N3 O8 S2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 2-Propanone, O-[[5-methoxy-2-[[4-methoxy-3,5-dimethyl-2-  
pyridinyl)methyl]sulfinyl]-1H-benzimidazol-1-yl]carbonyl]oxime  
MF C21 H24 N4 O5 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
2-(2,2-dimethylhydrazinyl)-2-oxo-1-[(4-pyridinylcarbonyl)oxy]ethyl ester  
MF C28 H30 N6 O8 S



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN INDEX NAME NOT YET ASSIGNED  
MF C18 H17 Cl F N3 O S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methylsulfinyl]-,  
1-[[dimethylamino)thioxomethyl]thio]-2-oxo-2-(2-propen-1-yloxy)ethyl  
ester

MF C25 H25 F3 N4 O6 S3



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN INDEX NAME NOT YET ASSIGNED  
MF C29 H38 F3 N4 O5 S2 . Cl




● Cl<sup>-</sup>

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulfinyl]-,  
1-(benzoylthio)-2-(cyclopropyloxy)-2-oxoethyl ester

MF C30 H29 N3 O8 S2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,  
1-chloro-2-[2-(1-methylethylidene)hydrazinyl]-2-oxoethyl ester  
MF C22 H21 Cl F3 N5 O5 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-propanamide, 2-(phenylmethyl)-N-[2-(2-pyridinyl)ethyl]-  
MF C24 H24 N4 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,

2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methylsulfinyl]-,  
2-[bis(phenylmethyl)amino]-1-[[2-(methylthio)acetyl]oxy]-2-oxoethyl ester

MF C36 H33 F3 N4 O7 S2




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-acetamide, N-(2,3-dihydro-1H-inden-1-yl)-2-  
[(methylsulfonyl)methyl]-

MF C20 H21 N3 O3 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,  
1-(acetylthio)-2-ethoxy-2-oxoethyl ester


MF C23 H22 F3 N3 O7 S2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
1-[[2-(methylthio)acetyl]oxy]-2-oxo-2-[(phenylmethoxy)amino]ethyl ester  
MF C30 H32 N4 O9 S2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[ (3R,5S)-5-[3-(cyclopentyloxy)-4-methoxyphenyl]-2-oxo-3-

MF C32 H41 N3 O5


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulfinyl]-,  
2-oxo-2-[(phenylmethoxy)amino]-1-[(4-pyridinylcarbonyl)oxy]ethyl ester  
MF C33 H31 N5 O9 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetamide, N-(1,3-benzodioxol-5-ylmethyl)-2-[(3,4-  
dichlorophenyl)methyl]-  
MF C24 H19 Cl2 N3 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methylsulfinyl]-,  
1-[(4-methylbenzoyl)oxy]-2-(4-nitrophenoxy)-2-oxoethyl ester

MF C33 H25 F3 N4 O10 S



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetic acid, 2-(methylsulfonyl)-, 2-benzoylhydrazide  
MF C17 H16 N4 O4 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-carboxylic acid,  
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methylsulfinyl]-,  
1-(acetylthio)-2-(1,1-dimethylethoxy)-2-oxoethyl ester  
MF C25 H26 F3 N3 O7 S2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,  
5-methoxy-2-[[ (4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,  
2-[2-(1-methylethylidene)hydrazinyl]-2-oxo-1-[(2-  
pyridinylcarbonyl)oxy]ethyl ester


MF C29 H30 N6 O8 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN  
IN 1H-Benzimidazole-1-acetic acid, 2-butyl-,  
2-[(5-carboxy-2,3-dimethylphenyl)sulfonyl]hydrazide  
MF C22 H26 N4 O5 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

10/561,571RCE

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.96

1.18

STN INTERNATIONAL LOGOFF AT 20:39:50 ON 01 JAN 2009